

Notice of Allowability

Application No.

08/984,059

Examiner

Fritz Alphonse

Applicant(s)

SONG, JUN IL

Art Unit

2133

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/22/05
2. ☒ The allowed claim(s) is/are 39-48 now renumbered 1-10.
3. ☒ The drawings filed on 7/11/02 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All. b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Eugene J. Lamarre
Primary Examiner

DETAILED ACTION

- 0.1 This Office Action is in response to the amendment filed on 7/22/04.
- 0.2 Claims 1-38 are canceled. Claim 39 is amended and new claims 42-48 are added.

REASONS FOR ALLOWANCE

1. After further search and thorough examination of the present application claims 39 and 42-48 are found to be in condition for allowance over the prior art of record.

The following is an Examiner's statement of reasons for allowance: the claimed invention relates to an external display device of a refrigerator, which is configured to achieve a serial data transfer and a method for controlling the display device.

The first cited reference, Marcade et al (U.S. Pat. No. 4,646,528) disclose a control, which allows a user to conveniently establish one or more temperature set points for a refrigerator. The second cited reference, Yamazato et al (U.S. Pat. No. 5,555,189) disclose internal communications system and wiring structure for a refrigerator.

As to claims 39, none of the cited references either singular or in combination discloses the limitations "a communication means passing through the hinge unit, the sub control unit and the main control unit determining whether a right of data transmission is assigned to themselves before transmitting data to each other"

In addition, as to claim 42, none of the cited references either singular or in combination discloses the limitations "a main control unit physically connected to the body, the main control unit connected to and controlling operations of a plurality of internal devices in said body, and said main control unit communicating with said sub control unit; and a communication channel connecting said sub control unit".

These limitations, in conjunction with all other limitations of the base claims were not shown by, would not have been obvious over, would have been fairly suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO-892

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks, Washington, D.C. 20231

or faxed to: (703) 872-9306 for all formal communications.

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Fourth Floor (Receptionist).


3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fritz Alphonse, whose telephone number is (571) 272-3813. The examiner can normally be reached on M-F, 8:30-6:00, Alt. Mondays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert De Cady, can be reached at (571) 272-3819.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-3900.


Art Unit: 2133

Information regarding the status of an application may also be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Fritz Alphonse

Art Unit 2133

January 21, 2005


Primary Examiner